

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 10/13/2013

Address: 415 N. 2<sup>ND</sup> ST.

Incident #: 13ISPC010313

ELKHART, IN 46516

County: ELKHART-20

## Type of Laboratory Seizure (check one)

- ☒ Operational Lab  
☐ Chemical/Glassware/Equipment (only)  
☐ Dumpsite (only)

## Seizure Location (check all that apply)

- ☒ Residence ☐ Hotel/Motel  
☐ Outbuilding ☐ Open – No Structure  
☐ Vehicle ☐ Other: \_\_\_\_\_

## Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

- ☒ One Pot or Birch Reaction(s): foyer  
☐ Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
☒ Hydrochloric Acid Gas Generator(s): foyer  
☐ Flammable Solvents: \_\_\_\_\_  
☐ Water Reactive Metal (Lithium): foyer  
☐ Anhydrous Ammonia: \_\_\_\_\_  
☐ Corrosive Acid: \_\_\_\_\_  
☐ Corrosive Base: \_\_\_\_\_  
☐ Other (item and location): \_\_\_\_\_

## Vehicle Information:

Owner: N/A  
VIN:  
Year:

Make:  
Model:

## Child under age 18 discovered (check appropriate)

- ☐ Yes \_\_\_\_\_ (number present)  
☐ No  
☒ Children not present but evidence they reside  
or visit often

Living conditions of home: ☒ clean ☐ disarray  
☐ unclean

Estimated length of time manufacturing had been  
occurring: UNK

Additional Information: CHILDREN IN  
BUILDING BUT NOT IN EMPTY  
APARTMENT

## This report has been faxed\* or emailed to the following agencies that serve the location:

Fire Department City, Township or County 574-293-8931

Fax: 574-522-1023

Health Department County: ELKHART

Fax: 574-875-3376

Department of Child Services Hotline: [dcshotlinereports@dc.in.gov](mailto:dcshotlinereports@dc.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: G.A. DEAL, ISP

Phone 574-546-4900

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.